Checklist in connection with s			
1: intermediate survey of com below 15 metres carrying up 1	*		
2: intermediate survey of com	essels with scantlings below 20, but with an output above	5072	
100 kW, carrying up to 12 pas			
Regulations: Notice F from the DN	Søfartsstyrelsen		
Made by: MMO/JBA		Version: 04.11.2016 10:55:03	

This checklist has been developed as a guide to be used in connection with intermediate surveys of the above-mentioned vessels **OK** means that the area has been inspected and found in order. **NA** means that the area is not of relevance to the vessel concerned (for example, not applicable or equivalent solution has been accepted by the Danish Maritime Authority).

Ship's name:	Port of registry:	Survey date:

Certificates and documents				
To be inspected:	ХО	NA	Remarks	
Annex file				
Trade permit				
Call sign certificate				
Tonnage certificate				
Certificate of nationality				
Safe manning document (if relevant) ¹				
Stability information				
Safety instructions				

Chapter II: Construction, watertight integrity and equipment			
To be inspected:	ОК	NA	Remarks
Packings and means of closing in superstructures, deckhouses and companionways			
Portholes, windows and deadlights			
Anchor equipment ²			
Steering gear and emergency steering gear			

Chapter IV: Machinery and electrical installations				
To be inspected:	ок	NA	Remarks	
General inspection of propulsion machinery				
Shielding of moving parts				
Deck in machinery space (of metal and fastened)				
Manual bilge pump (all watertight spaces)				

¹ Merchant ship in international trade and in domestic trade with a gross tonnage of or above 20.

² Chain foreganger of 12.5 m.

Danish Maritime Authority Notice F from the Danish Maritime Authority			
Chapter IV: Machinery and electrical installations			
To be inspected:			
Mechanical bilge pump from machinery space (length $\geq 12 m$)			
Water level alarm in machinery space (acoustic and visual alarm at conning position)			

Chapter V: Fire safety and fire extinction				
To be inspected:	ХО	NA	Remarks	
Ventilation system openings				
Stop of mechanical ventilation				
Heating installations				
Cooker installation (technical regulation no. 3 of 2 April 2003)				
Remotely-operated stop of fuel oil transfer-fuel oil pumps and other fuel oil pumps				
Fire alarm in the accommodation, if relevant ³				
Permanent fire-extinguishing system and fire-detection system <i>(inspection intervals of 2 years)</i>				
Fire-detection system in engine room (inspection intervals of 2 years)				
Fire pump (see note 3)				
Fire hoses and nozzles				
Portable fire-extinguishers				
Fire blanket at cooker installation				
Smoke-detector in accommodation (applies only in case of passengers who stay overnight)				
Manual sprinkler system in the accommodation				

Chapter VI: Crew protection				
To be inspected:	ОК	NA	Remarks	
Non-skid deck surface				
Personal protective equipment (work vests/lifelines or the like)				
Access to ship				
Arrangement for rescuing persons who have fallen over board ⁴				

Chapter VII: Life-saving appliances and technical regulation no. 5 of 11 May 2004			
To be inspected:	ОК	NA	Remarks
Life-jackets, including children's life-jackets with lights			

³ Not applicable to covered vessels with a length of or above 12 metres constructed on or after 1 January 2017.
⁴ If there is more than one person on board, a rescue sling or harness must be available for rescuing persons who have fallen over board.
Page 2 of 4 pages

Danish Maritime Authority Notice F from the Danish Maritime Authority			
Chapter VII: Life-saving appliances and technical regulation no. 5 of 11 May 2004			
To be inspected:	ОК	NA	Remarks
Location of life-saving appliances (on signposting see chapter I, regulation 7)			
Lifebuoy (Length $\ge 12 m - 2 pieces$)			
The liferaft and hydrostatic means of release			
Pyrotechnics (6 pieces)			

Chapter X: Navigation equipment				
To be inspected:	ОК	NA	Remarks	
Compass and lighting as well as deviation table				
Charts and nautical publications				
Illustrated board showing the rescue signals				
Lights – shapes				
Light board alarm system (see chapter IV R 14)				
Means of making sound signals				

Chapter XXV: Garbage			
To be inspected:	ок	NA	Remarks
Facilities for storing garbage (poster in case of length ≥ 12)			

Notice A from the Danish Maritime Authority, chapter I: Performance of the work				
To be inspected:	ок	NA	Remarks	
Written workplace assessment (risk assessment) for relevant work on board				

Notice A from the Danish Maritime Authority, chapter VII: Protective equipment				
To be inspected	ок	NA	Remarks	
Are the relevant personal protective equipment available on board?				
Notice A from the Danish Maritime Authority, chapter IX: Medicine chest				
To be inspected:	ок	NA	Remarks	
Medicine chest in accordance with the trade area				
The master's certificate as a medical caretaker				
Maritime medical manual and Radio Medical forms (Except medine chest C)				
Storage of medicine (A chest in locker, B in flexibag, C in plastic box)				

Danish Maritime Authority Notice F from the Danish Maritime Authority			
Notice A from the Danish Maritime Authority, chap	ter IX	: Me	edicine chest
To be inspected:	ок	NA	Remarks
Medicine chest inspected, and control document kept (can be done by the master)			
Mobile resuscitation equipment assembled and ready for use			
Mobile resuscitation equipment inspected every 3 rd month, <i>section 17(5)</i>			
Manning		1	
To be inspected:	Х	NA	Remarks
Manning (act no. 15 of 13 January 1997)			
Certificate for having completed a safety course (order no. 273 of 6 May 1998)			
Health certificate (order no. 438 of 6 June 2005) ⁵			
Smoking policy (Act no. 512 of 6 June 2007 on smo	ke-fre	e en	vironments)
To be inspected:	ок	NA	Remarks
Is a written smoke policy available to everyone on board?			

Place

Date

Signature

⁵ Applicable to merchant ships with a gross tonnage of or above 20 as well as commercial fishermen, however not part-time fishermen. Page 4 of 4 pages